

HPD UNIQUE IDENTIFIER: 952569716736

CLASSIFICATION: 07 52 16 Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing

PRODUCT TYPE: Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing (Membrane Roofing)

PRODUCT DESCRIPTION: Self-adhering base sheet flashing made from a tough non-woven reinforced polyester mat strengthened with select glass fiber strands, with a sanded top surface and bottom surface coated with select SBS polymers and premium asphalt.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Characterized/Screened/Identified. Includes radio button options for 'Yes' and 'No'.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COATING [ ASPHALT LT-1 ] CAN | MAM | GEN LIMESTONE BM-3dg  
STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK ] SANDED TOP SURFACING [ DARK HARD VOLCANIC ROCK Not Screened QUARTZ BM-1 ] CAN | MAM | GEN LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT LT-P1 ] CAN | SKI | DEV ] SATURANT [ ASPHALT LT-1 ] CAN | MAM | GEN STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK ] TACKIFIER [ ASPHALT LT-1 ] CAN | MAM | GEN LIMESTONE BM-3dg STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-P1 ] PBT | MUL | CAN | SKI | DEV PETROLEUM RESINS LT-UNK ] CAN ] POLYESTER SCRIM [ POLYESTER FIBERS NoGS STARCH NoGS CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK ] RELEASE FILM [ POLYPROPYLENE LT-UNK POLYDIMETHYLSILOXANE RUBBER NoGS ]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD has not accounted for substances within the various materials below the reportable product - 1,000 ppm levels.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2024-10-01

- Yes
- No

VERIFIER:  
VERIFICATION #:

PUBLISHED DATE: 2024-10-03  
EXPIRY DATE: 2027-10-01

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### COATING

%: 30.0000 - 50.0000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No      MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer.

OTHER MATERIAL NOTES: The SBS-modified bitumen is composed of different substances blended to a homogeneous mixture.

### ASPHALT

ID: 8052-42-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: **2024-10-03 10:58:14**

%: 30.0000 - 70.0000      GreenScreen: **LT-1**      RC: **UNK**      NANO: **No**      SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

### LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: **2024-10-03 10:58:54**

?: 40.0000 - 60.0000

GreenScreen: BM-3dg

RC: UNK

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)**

ID: 9003-55-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-03 10:59:32**

?: 0.0000 - 10.0000

GreenScreen: LT-UNK

RC: UNK

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**SANDED TOP SURFACING**

?: 10.0000 - 30.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer.

OTHER MATERIAL NOTES: Sanded top surfacing of the SBS-modified vapor retarder membrane.

**DARK HARD VOLCANIC ROCK**

ID: Not Registered

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

?: 80.0000 - 95.0000

GreenScreen: Not Screened

RC: UNK

NANO: No

SUBSTANCE ROLE: Insulator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
	Hazard Screening not performed	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
	Additional Hazard Screening not performed	

SUBSTANCE NOTES: No recycled content information available.

**QUARTZ**

ID: 14808-60-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-03 11:36:17**

%: **5.0000 - 20.0000** GreenScreen: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT**

ID: 64742-58-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-03 11:37:36**

#: 0.0000 - 0.1000

GreenScreen: **LT-P1**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

### SATURANT

#: 10.0000 - 20.0000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No      MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer.

OTHER MATERIAL NOTES: Saturant used to fill all voids within reinforcing mat.

### ASPHALT

ID: 8052-42-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: **2024-10-03 11:11:44**

#: 90.0000 - 100.0000

GreenScreen: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)**

ID: 9003-55-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-10-03 11:12:11**

#: **0.0000 - 10.0000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**TACKIFIER**

#: **10.0000 - 20.0000**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer.

OTHER MATERIAL NOTES: Self-adhesive bottom coating.

**ASPHALT**

ID: 8052-42-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-10-03 11:08:01**

#: **40.0000 - 90.0000**

GreenScreen: **LT-1**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

### LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-03 11:09:26**

#: **0.0000 - 25.0000** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

### STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)

ID: 9003-55-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-03 11:10:03**

#: **0.0000 - 15.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists



ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346**

ID: 64742-52-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-03 11:10:51**

#: <b>0.0000 - 10.0000</b>	GreenScreen: <b>LT-P1</b>	RC: <b>UNK</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Tackifier</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**PETROLEUM RESINS**

ID: 64742-16-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-10-03 11:08:48**

#: <b>0.0000 - 10.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>UNK</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Tackifier</b>
----------------------------	----------------------------	----------------	-----------------	----------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

### POLYESTER SCRIM

%: 1.0000 - 10.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material  
 RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer.  
 OTHER MATERIAL NOTES: The polyester mat is responsible for the product's structural reinforcement.

### POLYESTER FIBERS

ID: 80595-68-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-03 11:38:26		
%: 50.0000 - 100.0000	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

### STARCH

ID: 9005-25-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-03 11:42:00		
%: 10.0000 - 20.0000	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety		

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE**

ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-10-03 11:39:07**

%: **0.0000 - 15.0000**

GreenScreen: **LT-UNK**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

**RELEASE FILM**

%: **1.0000 - 5.0000**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: **No**

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer.

OTHER MATERIAL NOTES: Release film applied to bottom side of finished product, removed during installation.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-10-03 11:43:17**%: **80.0000 - 100.0000**GreenScreen: **LT-UNK**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No recycled content information available.

## POLYDIMETHYLSILOXANE RUBBER

ID: 63394-02-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-10-03 11:44:13**%: **0.0000 - 10.0000**GreenScreen: **NoGS**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No recycled content information available.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-09-27 00:00:00

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: N/A

EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: The product type cannot be tested using applicable CDPH Standard Method provisions for adapting the scenarios. There is no emissions scenario for exterior products.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### SELF-ADHERED MEMBRANE PRIMER

MANUFACTURER (OR GENERIC): **IKO Industries Ltd.**

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: In most cases, a self-adhered membrane primer is required before installation of Armourbond Flash. Acceptable primers include SAM Adhesive and SAM Adhesive LVC (<250 g/L).

## Section 5: General Notes

**MANUFACTURER INFORMATION**

MANUFACTURER: **IKO industries**  
 ADDRESS: **Hansen Road South**  
**Brampton, Ontario L6W 3H4**  
 COUNTRY: **Canada**  
 LATITUDE: **-79.7393000**  
 LONGITUDE: **43.6956000**

WEBSITE: **iko.com/comm**  
 CONTACT NAME: **Alexander Moroz**  
 TITLE: **Codes & Compliance**  
 PHONE: **647-326-7620**  
 EMAIL: **alexander.moroz@iko.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*