


Proven Performance™



# CROWNE SLATE™

Designer Shingles



[iko.com/na](http://iko.com/na)



# High-End Design Higher Quality Performance

Take your home from beautiful to awe-inspiring with the luxurious look of natural slate in 10" exposure. IKO Crowne Slate shingles are perfect for grander homes with steep-pitched roofs, which enhance the shadow lines of the shingle tabs, providing the curb appeal you crave — and others seek.



IKO Crowne Slate shingles qualify for a Class 4 impact resistance rating<sup>6</sup>, which may entitle you to a reduction in your homeowner insurance premium, if available.



ColorFeatured: Regal Stone






*Crowne Slate shingles are made with heavy-duty asphalt for extra cushioning and ultimate performance, earning them a Class 4 impact resistance rating<sup>6</sup>. That means you get the glamor of designer shingles with the high-quality construction of IKO products.*

## The IKO Difference

**With a legacy of craftsmanship that spans over 75 years,** we know quality. That's why contractors and their customers trust IKO to deliver beautiful, high-performing roofing systems that can withstand the most rigorous conditions — and continue protecting families for generations to come.

# What Sets Crowne Slate Shingles Apart



- 1 Heavyweight core strength**  
 IKO Crowne Slate shingles are engineered for performance thanks to a durable fiberglass mat core. Thick asphalt coating provides superior protection against wind uplift and water infiltration.
- 2 Exceptional bonding**  
 IKO's proprietary FastLock® sealant strips get extra tacky when activated by the heat of the sun to maximize bonding and protect against wind uplift and blow-off.
- 3 Built-in algae resistance**  
 Colorfast algae-resistant granules help inhibit the growth of blue-green algae, which can cause unsightly black streaks, stains, or discoloration.

## STANDARDS & SPECIFICATIONS<sup>4,5</sup>

Limited Warranty <sup>1</sup>	Limited Lifetime <sup>3</sup>	Length	39 1/2 in (1003 mm)
Iron Clad Protection <sup>1</sup>	15 Years	Width	13 1/4 in (336 mm)
Limited Wind Warranty <sup>1</sup>	110 mph	Exposure	10 in (254 mm)
Limited High-Wind Warranty Upgrade <sup>1,2</sup>	130 mph	Coverage per Bundle	25 sq. ft. (2.3 sq. m)
Limited Algae Resistance Warranty <sup>1</sup>	10 years (blue-green)	Shingle per Square	40

ASTM D3462 • ASTM D3018 • ASTM D3161 - Class F • ASTM D7158 - Class H • ASTM E108/UL 790 - Class A • FM 4473 - Class 4<sup>6</sup>



▶ SEE IT ON A ROOF

Crowne Slate shingles include numerous benefits that make your home look stunning while offering ultimate performance:

- ✔ Oversized 10" exposure with square-cut corners designed to mimic fixed width slate tiles
- ✔ Two coats of weathering asphalt on top and bottom for strength, durability, and flexibility
- ✔ FastLock® sealant, activated by the warmth of the sun to help prevent wind uplift
- ✔ Crowne Slate's heavy-duty construction, weight, and thickness qualify it for a Class 4 impact resistance rating<sup>6</sup>, which may entitle you to a reduction in your home insurance premium
- ✔ Elegant, blue-green algae-resistant color blends that may resist fade from UV exposure
- ✔ When you install your Crowne Slate shingles with IKO PROFORMAX Integrated Roofing Accessories in accordance with IKO's High Wind Application instructions, you qualify for our High Wind Limited Warranty Upgrade, offering limited wind coverage up to 130 mph.

<sup>6</sup>The impact resistance ratings are solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. \*This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the limited warranty.



Color Featured: Regal Stone

COLOR BLENDS | *Inspired by Nature*



Regal Stone


**REGAL STONE:** Classically elegant, upscale, charming, refined, yet welcoming  
**Perfect Pairings:** Stone, masonry, wood, brick, siding (especially white, beige, or grey)  
**Metal Pairings:** Copper, black, nickel, chrome, brass



## Royal Granite

**ROYAL GRANITE:** Authentic, down-to-earth, upscale, unexpectedly dramatic  
**Perfect Pairings:** Stone, masonry, wood, brick, siding (especially cream, beige, brown, or red)  
**Metal Pairings:** Copper, black, nickel, chrome, brass

Shingles are your home's first line of defense, but they protect, perform and look their best installed with the **IKO Proformax Integrated Roofing Accessories** shown below.



PROFORMAX ROOFING COMPONENTS

1 DECK PROTECTION	2 SYNTHETIC UNDERLAYMENT	3 ROOF STARTERS	4 CAPPING SHINGLES
IKO GoldSeam™ IKO StormShield®	IKO Stormtite®	IKO Leading Edge Plus™ IKO EdgeSeal®	IKO Ultra HP® IR

**IMPORTANT!** To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle color and do not fully represent the entire color blend range nor the impact of sunlight.

**NOTE:** Product and color availability may vary by region. Products with Miami Dade NOA and FBC product approval listings are available. Meets requirements of the Texas Department of Insurance. Please contact IKO for details. <sup>1</sup>See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. <sup>2</sup>High Wind Application is required. Both roof starter and capping shingles are required with High-Wind Application. <sup>3</sup>"Lifetime" means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the original Owner owns the building on which the shingles were installed. <sup>4</sup>All values shown are approximate. <sup>5</sup>Products are developed with reference to these standards. <sup>6</sup>This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer and damage from hail is not covered by the Limited Warranty. IKO recommends the use of its Class 4 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 4 impact resistance rated shingles, and the use of no less than its Class 3 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 3 impact resistance rated shingles. For further detail concerning the FM 4473 standards, visit the FM Approvals website.



IKO.COM/NA

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature. Find out more about our products now by talking to an IKO sales representative or contact us directly:

**In the United States, call 1-888-IKO-ROOF (1-888-456-7663).**

