

CAMBRIDGE® Architectural Shingles







Stunning Looks with Dependability

IKO Cambridge shingles have been a trusted choice for new construction and re-roofing projects for decades. Known for their reliable performance, they provide a high-quality solution and excellent value.



Special colourfast granules embedded in Cambridge shingles help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks, and discolouration.








Now you don't have to choose between style, durability, or dependability. IKO Cambridge shingles offer it all in beautiful, unique looks that match your home's style.

The IKO Difference

With a legacy of craftsmanship that spans over 75 years, we know quality. That's why contractors and their customers trust IKO to deliver beautiful, high-performing roofing systems that can withstand the most rigorous conditions and continue protecting families for generations to come.



What sets Cambridge Shingles Apart



Tough adhesive

We use five strips of our tough, construction-grade adhesive to laminate the shim to the tooth.

Stay-put bonding

IKO's proprietary **FastLock®** sealant strips get extra tacky when activated by the heat of the sun to maximize bonding and protect against wind uplift and blow-off.

Fiberglass mat core strength

Our fiberglass mat is coated top and bottom with weathering asphalt, then surfaced with coloured granules for exceptional durability and structural integrity.

Built-in algae resistance

Algae-resistant granules help inhibit the growth of blue-green algae, which can cause unsightly black streaks, stains, or discolouration.

STANDARDS & SPECIFICATIONS^{4,5}

Limited Warranty ¹	Limited Lifetime ³	Length	40 7/8 in (1,038 mm)
Iron Clad Protection ¹	15 Years (Canada ONLY)	Width	13 3/4 in (349 mm)
Limited Wind Warranty ¹	177 km/h (110 mph)	Exposure	5 7/8 in (149 mm)
Limited High-Wind Warranty Upgrade ^{1, 2}	210 km/h (130 mph)	Coverage per Bundle	33 1/3 sq. ft (3.1 sq. m)
Limited Algae Resistance Warranty ¹	10 years (blue-green)	Shingle per Square	60


ASTM D3018 • ASTM D3161 - Class F • ASTM D7158 - Class H • CAN/ULC S107 - Class A • CSA A123.5 • FM 4473 - Class 3⁶




Cambridge shingles aren't just nice to look at. They boast a number of features that keep your home and family covered:

- Heavy-duty construction from a fiberglass mat core.
- Class 3 impact resistance rating⁶ against hail*.
- FastLock[®] sealant, activated by the warmth of the sun to seal down and help protect against wind uplift.
- A wide array of stunning colour blends to match your home's style.
- Blue-green algae resistance.
- Superior blow-off protection. Cambridge shingles are designed to help installers fasten them more accurately, helping prevent blow-off in high wind.

^eThe impact resistance ratings are solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available, *This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the limited warranty.



UNIQUE COLOUR BLENDS Inspired by Nature




DUAL BLACK: Defined, timeless, exemplary Perfect Pairings: Stone, brick, masonry, siding (especially red, white, or grey) Metal Pairings: Copper, black, nickel, chrome, brass

EARTHTONE CEDAR: Woodsy, unexpected, relaxed, notable Perfect Pairings: Stone, wood, brick, siding (especially white or various pastels) Metal Pairings: Copper, black, nickel, brass, bronze DUAL BROWN: Earthy, organic, rustic, laid-back, casual Perfect Pairings: Log, beige stone, or brick (especially red) facings, brown trim Metal Pairings: Copper, black, nickel, brass, bronze

DUAL GREY: Upscale, exclusive, from casual comfort to modern chic Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim Metal Pairings: Copper, black, nickel, chrome, brass





HARVARD SLATE: Historic, expressive, majestic, distinguished Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim Metal Pairings: Copper, black, nickel, chrome, brass


WEATHERWOOD: Rustic, relaxed, notable

Perfect Pairings: Log, beige stone, or brick (especially red) facings; brown trim Metal Pairings: Copper, black, bronze DRIFTWOOD: Versatile, dark and handsome Perfect Pairings: Log, wood siding, stone or brick facings; brown or black trim. Metal Pairings: Copper, black, nickel, brass, bronze

CHARCOAL GREY: Stylish, modern, classic Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim Metal Pairings: Copper, black, nickel, chrome, brass



Shingles are your home's first line of defense, but they protect, perform and look their best installed with the **IKO Proformax Integrated Roofing Accessories** shown below.



PROFORMAX ROOFING COMPONENTS

1 deck	2 SYNTHETIC	7 roof	4 CAPPING
protection	UNDERLAYMENT	3 starters	SHINGLES
IKO GoldSeam™	IKO Stormtite®	IKO Leading Edge Plus™	IKO Hip & Ridge 12™
IKO StormShield®		or IKO EdgeSeal®	IKO Ultra-HP®

IMPORTANT! To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final colour selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle colour and do not fully represent the entire colour blend range nor the impact of sunlight.

NOTE: Product and colour availability may vary by region. ¹See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. ²High-wind application is required. ³"Lifetime" means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the original Owner owns the building on which the shingles were installed. ⁴All values shown are approximate. ⁵Products are developed with reference to these standards. ⁶Impact rating is solely for potential insurance premium reductions and is not a performance guarantee, implied or express warranty of any kind. Hail damage is not covered under the Limited Warranty. IKO recommends Class 4 or 3 impact resistance rated Hip and Ridge capping shingles be installed with corresponding impact rated shingles (refer to FM Approvals for more details on the FM 4473 impact resistance testing standard).



The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature. Find out more about our products now by talking to an IKO sales representative or contact us directly:

In Canada, call 1-855-IKO-ROOF (1-855-456-7663).





KO.COM/NA